

> PRINT > COPY > SCAN > FAX

TASKalfa **3212i** TASKalfa **4012i**

MONOCHROME MULTIFUNCTION PRODUCT FOR A4/A3 FORMAT





- Fast A4 copy/print speed up to 32/40 cpm.
- High image quality with 1,200 x 1,200 dpi print resolution.
- Superior scanning performance with dual scan speed up to 160/160 ipm A4 Mono/Color *.
- Speedy first copy time in just 3.6 seconds** and warm up time 18 seconds.
- 320GB*** hard disk capacity and 2GB RAM to meet heavy-duty tasks without an additional hard drive.
- Flexible with various paper handling systems and different capacity document processor combinations to meet different users' requirements.
- Convenient with inner Job Separator as standard.
- Environmentally friendly with low energy consumption due to intelligent device recovery system.
- * Optional DP-7110 required. ** TASKalfa 4012i only.
- ***Optional for TASKalfa 3212i.





Born to be Extraordinary

KYOCERA Document Solutions is Extraordinary for

- Broad Range of Multifunction Devices and Printers
- Optimized Total Cost of Ownership (TCO)
- Reliable with Long Life Drum and Parts
- New and Advanced Technology

KYOCERA Document Solutions strives to be a company that contributes to the society and demonstrates "Customer First" principle by providing customers with maximum value to increase their satisfaction. By adhering to the mission of producing document management devices that take balance between "Economy" and "Ecology", KYOCERA Document Solutions succeeds to develop document management devices with advanced technologies which help customers to optimize office productivity and efficiency at a low total cost of ownership and, at the same time, improving environmental performance.

Keep Productivity Flowing

This reliable multifunctional device eases workflow significantly with high flexibility and productivity. With a wide range of innovative solutions, it is perfectly suitable for demanding desktop users and small workgroups.





Impressive COPY/PRINT/SCAN/FAX

Сору

• Skip Blank Page: Copy/scan to save unnecessary cost by skipping blank pages.



 Job Finish Notice: Send email notification to the specific user when a Copy/Scan job is completed.




 Prevent Bleed-thru: Remove unwanted background when Copy/Scan a printed double-sized thin paper (e.g. newspaper, NCR paper, and magazine).




Print

 Job Skip: Automatically prioritize the error print job to avoid the machine come to a halt in case of



Scan

 USB Scan to/Direct Print: Scan to/print directly from USB Memory in PDF/Compression PDF/TIFF/JPEG/XPS format.



 Scan to Searchable PDF function (Optional): Easily search the text inside PDF files after scanning the hardcopy document and convert text via OCR function.




 High Compressed PDF Size: Adopt new image analysis technology to achieve smaller file size.



 Scanned Image File Size Check: Check the size of the scanned document does not exceed limit before sending e-mail.



 FTP/SMB/Email/Fax Multi-Sending: Send document to different destinations (email addresses, folders, etc.) in a single scan operation.



Fax

 Simple Fax Forwarding: Forward incoming fax to other destinations by Email, SMB or FTP (Optional).



 I-FAX Sending (Optional): Send and receive i-FAX without the mail service by installing Direct SMTP function.





User-Friendly

- Excellent Clarity 9-inch Color Touch Panel:
- With swivel type operability similar to smartphone and tablet.
- Tiltable from 15° to 90°.







• Easy-to-Use Keypad:

Type in with easy with on-screen virtual numeric keypad (hardware keypad is optional).





- Convenient Home Screen:
- All commonly used functions and applications are found.
- Customize easily to meet different needs of users/group users.



• Intuitive Printer Driver's Quick Print Tab:

Create and save frequently used custom profiles as graphic icons to allow programming of complex jobs in one click.



• Easy-to-Reach Custom Box:

Provide long-term job storage at a device, allowing users to securely print and store jobs on the device and output them when required.



- Low Power Consumption Mode:
 - Adopt spot conduction for intelligent recovery system by activating only the areas of the device required for the operation.




- Choose recovery priority mode/power priority mode based on different needs.




Access Securely and Quickly with Mobile & Cloud Solutions

NEC

- Simplify Document Workflow KYOCERA Mobile Print:
 - Print documents/webpages/image from virtually anywhere, on Apple/Android smartphone/tablet to designated KYOCERA MFPs and printers.
 - Scan files and images from same MFPs to mobile devices.
 - Support AirPrint for iPhone and iPad.



- Intuitive KYOCERA MyPanel:
 - Use smartphone/tablet to connect a compatible networked KYOCERA printing device on local Wi-Fi network wirelessly.
 - Perform COPY/PRINT/SCAN from Custom Box/ Cloud $\!\!^{\#}$ by mobile devices with personalizing settings.



#Cloud Application Supported: Dropbox, Evernote, OneDrive

- Print Anywhere KYOCERA Cloud Connect (Optional):
 - Retrieve and print files in Google Drive/Evernote®, directly from any KYOCERA HyPAS-enabled MFPs.
 - Upload scanned files to Google Drive/Evernote®, directly from the MFP (without using a computer).



- Powerful KYOCERA Fleet Services (Optional):
 - Overview of all the devices status and receive notifications via the cloud.
 - Preempt and plan for maintenance needs.



Support Gmail and Hotmail Public Mail Services:
 Scan documents to email accounts from the device and automatically print documents directly from accounts.



- Support WiFi Direct:
 - Require IB-36 Wireless LAN (Optional)



 Makes print/scan via AirPrint/Google Cloud Print/Mopria/KYOCERA Mobile Print/KYOCERA MyPanel much easier.



Data and Document Security


 Confidential Printing with Private Print: Release print job at the device by entering a preset four-digit access code when making a print at KYOCERA KX Driver.



 Secure with Password Protection Setting: Allow administrator to set Password Policy to limit user access to designated capacity.



 Strong Network Authentication: Access and manage information through network authentication for Windows Server using Kerberos or NTLM.



 Safe FAX Memory Overwrite (Optional): Erase FAX memory after sending or receiving for confidentiality.



 IPv6 Ready: Compatible with future network infrastructures as supporting IPv6.



 Effective Card Authentication (Optional IC Card Reader): Control access and manage with predefined user restrictions such as maximum amount of output restrictions.



 Security Watermark: Distinguish originals from photocopies and provide protection for the sensitive document.



 Intuitive M-Files (Optional): Easily find and manage all information e.g. documents, projects and business processes etc, as well as add intelligence by combining it with information from other systems (like SharePoint, Salesforces and SAP).



 Highly Reliable KYOCERA Data Security Kit (Optional): Encrypt data before storing in the hard disk and automatically overwrite all unnecessary data stored on the hard drive.



 Secure Socket Layer (SSL) Data Security Protocol: Prevent eavesdropping and tampering by enhancing secure communication for remote configuration and data retrieval.





Simplify Administration Process

Provide real ease-of-use to all users and administrators.

 Web-Based KYOCERA Command Center RX: Check the operation status of the device, toner level, paper availability, as well as change settings related to security, network printing and advanced network setting etc.





- Comprehensive KYOCERA Net Viewer (Device Management & Reporting):
- Monitor, maintain, and update up to 100 network printing devices locally and remotely.
- Simply install and update the firmware on all KYOCERA network connected devices while easily monitoring printed pages, device configuration, accounting, toner usage, and alerts.
- Greatly reduce the manpower required to monitor connected devices.





- Well-Structured KYOCERA Net Manager (Optional):
- Protect confidential data, manage & control the overall output (copy/print/scan) and get detailed reports
- Users: Simplify the process by overviewing personal printing jobs with personalized settings web browser.
- Card Authentication Kit (Optional): Get print document directly and allow quick and secure access settings with pre-defined user restrictions such as output quota.











Go for the Green Future

Green Design

- Weekly Timer: Preset the machine on and off time to maximize power savings.
- EcoPrint: Consume less energy and toner.
- ▶ Energy Saver: 1.0W or less power consumption at Priority Energy Saver Mode.
- Long Life Mega Surface Amorphous Silicon (a-Si) Drum, Developer and Replacement parts.
- Large capacity toner for maximum uptime and less wastage.
- Parts for Recycling.
- Non-toxic Materials.
- Quiet operation design for a comfortable working environment.







Eco Mark (Japan)

EcoLeaf Environmental Label (Japan)

Law on Promoting Green Purchasing (Japan)

KYOCERA aims at providing safe and comfortable products which have minimum environmental impact by acquiring various environmental labels.

Month institute						
Month Fundament Copy Pers Section Se				Main Spec	incations	
Secretary Secr	Model			TASKalfa 3212i	TASKalfa 4012i	
Secretary Secr	Main Function					
Tipol Descript Out Descript Out	Writing Method			Semicondu	ictor Laser	
Miles March Marc	CPU					
Stormer Secondary Part Stormer Storm	Print Speed (A4)	Simplex (Mor	10)			
Maintenance Market Marke			1	0,000 * 0 * 0,000		
Scientify Speed 59-7320 surgers 58/000 pm 15/000 pm 15		(Mono/Color)		300000	V. • DOM	
2000 pt 2000				100000	on(• on(o))	
Scienting (posed 00 - 73.00						
MA 1000 Monor Color Oppos					10.000	
Secretary 200 Marco 200 20		And the second second			0.***/	
Stockholm Stoc		Canada de Canada				
Name to price					The state of the s	
Rigor Copyrish Manchem Appl design Copyrish Rigor Size Copyrish Rigor Size Copyrish March				5.00-10-10-10-10-10-10-10-10-10-10-10-10-1	STORY CONTROL OF THE PROPERTY	
Maximum		Standard		1990/07/20	10000000	
Pager Sept						
MIT	Paper Size					
Report Works Countre Mir		MPT		Min. A6R - Ma	x. A3 (Ledger)	
West	Paper Weight	Cassette				
Digitals Printing				The state of the s		
Dispart Cypachy	Duplex Printing					
Second File						
Dimension (N + D + N) (Main built)						
Weight (Minks) Land		H) (Main Unit)				
Copy From Morbole S100W or less S00W or les		, (
Consumption	Power	Copy/Print M	ode	50.40.4	N 100 - 110	
Configuration Energy Sear 1.00 or less 1.00	Consumption		AND DESCRIPTION OF THE PERSON	200000000000000000000000000000000000000	1900/00/00/00 TOVINI	
Note 1977	(Standard configuration)					
Stand-by Mode Stand-by Mode Stand	Noise (ISO7779/		ode			
Copy Size Max. A3 (Ledger) - Min. A6R Mesolution Max. A3 (Ledger) - Min. A6R Mesolution A3 seconds Marvail A3 seconds Marvail A3 seconds Marvail A3 seconds Marvail Marvail A3 seconds Marvail Pre-defined A3 seconds Marvail Pre-defined A3 seconds Pre-defined A5 seconds A60 (2006) (18 Step) Pre-defined A5 seconds Pre-defined A5 seconds PRESCRIBE, PLLS (PLLS e, PLL. NIL, RODL) (Publisher) (Publisher) Resolution PRESCRIBE, PLLS (PLLS e, PLL. NIL, RODL) (Publisher) (Publisher), RS, OpenNFS, RDF Direct Print, PPMM. PRESCRIBE, PLLS (PLLS e, PLL. NIL, RODL) (Publisher) (Publisher), RS, OpenNFS, RDF Direct Print, PPMM. PRESCRIBE, PLLS (PLLS e, PLL. NIL, RODL) (Publisher) (Publisher), RS, OpenNFS, RDF Direct Print, PPMM. PRESCRIBE, PLLS (PLLS e, PLL. NIL, RODL) (Publisher) (Publisher), RS, OpenNFS, RDF Direct Print, PPMM. PRESCRIBE, PLLS (PLLS e, PLL. NIL, RODL) (Publisher) (Publisher), RS, OpenNFS, RDF Direct Print, PPMM. PRESCRIBE, PLLS (PLLS e, PLL. NIL, RODL) (Publisher) (Publisher), RS, OpenNFS, RDF Direct Print, PPMM. PRESCRIBE, PLLS (PLLS e, PLL. NIL, RODL) (Publisher) (Publisher), RS, OpenNFS, RDF Direct Print, PPMM. PRESCRIBE, PLLS (PLLS e, PLL. NIL, RODL) (Publisher) (Publisher), RS, OpenNFS, RDF Direct Print, PPMM. PRESCRIBE, PLLS (PLLS e, PLL. NIL, RODL) (Publisher) (Publisher), RS, OpenNFS, RDF Direct Print, PPMM. PRESCRIBE, PLLS (PLLS e, PLLS	ISO9296)					
Resolution						
Republish						
First Copy Time						
Manual Pre-defined Pre-d	The state of the s					
Pee defined SSPS		Manual				
1 - 999	Zoom Ratio	202000000000000000000000000000000000000				
Print Functions (Standard) POL 9.60 Equivalent x 600 dpi; 1,200 x 1,200 dpi PDL 9.65 PRIB, PCL6 (PCL-5e, PCL-XI), PVDL (POSSCript 3 compatible), XMS, OpenXPS, PDF Direct Print, PPML First Print (Dut Time 4.9 seconds 4.9 seconds 4.9 seconds 4.9 seconds 5 supported Potocol 4.9 seconds 5 supported Windows Server 2008, Windows Server 2008, RV, RV, RV, RV, RV, RV, RV, RV, RV, RV	Multiple Comu	Pre-defined				
Resolution PRESCRIBE, PCLE (PCL-Sp. PCL-XL), PPOLSCRIPE, PCLE (PCL-XL), PCLE (PCL	widitiple copy					
PRESCRIBE, PCLS (PCL-Se, PCL-Se), PCL-Se, PC				Print Functions (Standard)		
Fise Print Out Time	Resolution					
NetBEUL FTP, Port 9100, LPR, IPP, IPP or PET 2008, PLS, WSD Print	PDL					
Windows Server 2008, Mindows Server 2008, R2, Windows Server 2012, Windows Server 2012, Windows Server 2013, Papie Macintosh OS 10.5 or later, Linux Interface USB 2.0 High Speed x1; 10008ASE-T/1008A	First Print Out Time					
Mindows Vista, Windows 7, Windows 10; Apple Macintoris Do er late; Inture Apple Macintoris Do er late; Inture USB Memory Printing USB Memory Printing USB Memory Printing Format TIF, JPEG, PDF, XPS Mobile Printing APPINITION OF THE PRINTING SCHOOL						
Maple Machicabh OS 10.5 or later; Linux	Operating System Su	Operating System Supported				
Interface USB A Heigh Speed x1; 1000BASE-T/1						
USB Memory Printing	Interface					
USB Memory Printing Format Mobile Printing AirPrint, Mopria, KYOCERA Mobile Print Scan Functions (Standard) Color Selection Auto Color (Color/Fary): Auto Color (Color/B&W): Full Color, Grayscale; Black & White Resolution 600(4), 400(4), 300(4), 2	USB Memory Printing	g				
Scan Functions (Standard) Color Selection Auto Color (Color/Gray), Auto Color (Color/B&W), Full Color, Grayscale; Black & White Resolution 6004pl, 4004pl, 3004pl, 3004pl, 2004pl, 200x400dpl File Format TIFF, JPEG, KPS, OpenXPS, PDF (MMR/JPG/High-compression PDF), PDF/A, Searchable PDF (Optional) Image Type Mode Tarsamission Type Scan to SMB; Scan to E-mail; Scan Te TPF or FP over StS; Scan to USB; TWAIN Scan; WSD Scan Address Storage 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Original Size Awa, X3 (dedger) - Min. A5 (Statement) Coding Method MMR, MR, MH, JBIG Transmission Speed 3.3.6 kbps Memory 3.3.6 kbps Memory 170MB G3 FAX/ Network FAX Yes Consumables & Options The F122 TK-7222 Maintenance Kt TK-7122 TK-7222 Miaritenance Kt TK-7122 Platen Cover DD-7100: 140 sheets RADF Type; DP-7110: 270 sheets One-path duplex scan Type; DP-7120: 50 sheets RADF Type PP-9PF Feder PP-9PF: 500 sheets X Pel, Mich. Tel. Stop Senters, PH-70: 100 sheets X Pel-7120: 50 sheets RADF Type PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox scen; SH12: Staple for DF-791; SH-10: Staple for DF-7120 Fax System AK-740: Paper Exit Path for Finisher; DF-7120: 1,000 sheets X Pel-7120: Staple for DF-7120 Fax System Fax System AK-740: Paper Exit Path for Finisher; DF-7120: 1,000 sheets X Pel-7120: Staple for DF-7120 Fax System Fax System Gapati Harrier FAX Internet				TIFF, JPEG, PDF, XPS		
Color Selection	Mobile Printing					
Color Selection				Scan Functions (Standard)		
Resolution	Color Selection					
TifF, JPEG, XPS, OpenXPS, PDF (MMR/JPG/High-compression PDF), PDF/A, Searchable PDF (Optional) Image Type Mode Text, Photo, Text + Photo Transmission Type Scan to SMB; Scan to E-mail; Scan to USB; TWAIN Scan; WSD Scan Address Storage 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Original Size Max. A3 (Ledger) - Min. A5 (Statement) Coding Method MMR, MR, MH, JBIG Transmission Speed Memony 33.6 kbps Memony 37.0 Yes Dual Fax Yes (Fax System 12 x 2 units required) Consumables & Options Tik-7122 Maintenance Kit MK-7129 Platen Cover DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets One-path duplex scan Type; DP-7120: 50 sheets RADF Type Paper Feeder PF-791: 500 sheets x 2 (A4/Letter); PF-810: 1,500 sheets x 2 (A4/Letter) Finisher AK-740: Paper Ext Path for Finisher; DF-7120: 1,000 sheets Finisher; PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter, SHIL2: Staple for DF-791; SH-10: Staple for DF-7120 Fax System Response AK-740: Paper Ext Path for Finisher; DF-7120: 1,000 sheets Finisher; PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter, SHIL2: Staple for DF-791; SH-10: Staple for DF-7120 Fax System Response AK-740: Paper Ext Path for Finisher; DF-7120: 50 sheets Nape for DF-791; SH-10: Staple	Resolution					
Image Type Mode Text, Photo, Text + Photo Transmission Type Scan to SMB; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan Address Storage 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional)	File Format					
Transmission Type Scan to SM8; Scan to E-mail; Scan to FTP or FTP over SSL; Scan to USB; TWAIN Scan; WSD Scan Address Storage 2,000 addresses (Common address list), SOD groups (Group address list) Fax Functions (Optional) Original Size Max. A3 (Ledger) - Min. A5 (Statement) Coding Method MMR, MR, MH, JBIG Transmission Speed 33.6 kbps Memory 170MB G3 FAX/ Network FAX Yes Dual Fax Yes (Fax System 12 x 2 units required) Consumables & Options Tik-7222 Maintenance Kit Minerance Kit Minerance Kit Minerance Kit Minerance Kit Minerance Kit Minerance Mi	Image Type Mode					
Address Storage 2,000 addresses (Common address list), 500 groups (Group address list) Fax Functions (Optional) Original Size Max. A3 (Ledger) - Min. A5 (Statement) Coding Method MMR, MR, MH, JBIG Transmission Speed Memory 170MB 33.6 kbps Memory 170MB 36 FAX/ Network FAX Yes Dual Fax Yes (Fax System 12 x 2 units required) Consumables & Options TK-7222 Maintenance kit TK-7122 TK-7222 Minitenance kit MK-7129 Platen Cover Platen Cover Type E Document Processor DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets One-path duplex scan Type; DP-7120: 50 sheets RADF Type Paper Feeder PF-791: 500 sheets x 2 (A4/Letter): PF-810: 1,500 sheets x 2 (A4/Letter) Finisher AK-740: Paper Exit Path for Finisher; DF-7210: 1,000 sheets Finisher; DF-791: 3,000 sheets Finisher; PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter; SH12: Staple for DF-791: Sh1-10: Staple for DF-7120 Fax System Internet FAX Internet FAX (Internet FAX Kit(A) Data Security Data Security (Rit(E) Card Authentication (B-50) Wireless LAN Interface Embedded OCR Ho-12: HDD 320GB (TASSalfa 3212i only)	Transmission Type					
Fax Functions (Optional) Original Size	Address Storage			2,000 addresses (Common address list), 500 groups (Group address list)		
Original Size Max. A3 (Ledger) - Min. A5 (Statement) Coding Method MMR, MR, MH, JBIG Transmission Speed 33.6 kbps Memory 170MB G3 FAX/ Network FAX Yes Dual Fax Yes (Fax System 12 x 2 units required) Consumables & Options Toner Kit TK-7122 TK-7222 Maintenance Kit MK-7129 Platen Cover Platen Cover Platen Cover Type E Document Processor DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets on Type; DP-7120: 50 sheets RADF Type Pinisher AK-740: Paper Exit Path for Finisher; DF-791: 3,000 sheets Finisher; Finisher AK-740: Paper Exit Path for Finisher; DF-7120: 1,000 sheets Finisher; Fax System FAX Internet FAX Kit(A) Data Security Card Authentication Gigabit Ethernet Board Wireless LAN Interface IB-35 (802.11 b/g///Wireless LAN/WiFi Direct) Embedded OCR Scane Extension Kit(A) Storage Device HD-12: HDD 320GB (TASKalfa 3212i only)				Fax Functions (Optional)		
Coding Method MMR, MR, MH, JBIG Transmission Speed 33.6 kbps Memory 170MB G3 FAX/ Network FAX Yes Dual Fax Yes (Fax System 12 x 2 units required) Consumables & Options Tich-7122 Maintenance Kit MK-7129 Platen Cover Type E Document Processor DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets One-path duplex scan Type; DP-7120: 50 sheets RADF Type Peeder PF-791: 500 sheets x2 (A4/Letter); PF-810: 1,500 sheets x2 (A4/Letter) Finisher AK-740: Paper Exit Path for Finisher; DF-7120: 1,000 sheets Finisher; DF-791: 3,000 sheets Finisher; PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter; SH12: Staple for DF-791: 500 sheets x2 (Internet FAX Kit(A) Data Security Data Security Card Authentication Gigabit Ethernet Board Wireless LAN Interface IB-50 Wireless LAN Interface Embedded OCR Storage Device MD-12: HDD 3206B (TASKalfa 3212i only)	Original Size					
Transmission Speed Memory Transmission Speed Memory Transmission Speed Transmissi						
Memory 170MB G3 FAX / Network FAX Yes Dual Fax Yes (Fax System 12 x 2 units required) Consumables & Options TK-7122 TK-7222 Maintenance Kit MK-7129 Platen Cover Platen Cover Platen Cover Type E Document Processor DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets One-path duplex scan Type; DP-7120: 50 sheets RADF Type Paper Feeder PF-791: 500 sheets x 2 (A4/Letter); PF-810: 1,500 sheets x 2 (A4/Letter) Finisher AK-740; Paper Exit Path for Finisher; DF-7120: 1,000 sheets Finisher; DF-791: 3,000 sheets Finisher; PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter; SH12: Staple for DF-791; SH-10: Staple for DF-7120 Fax System Fax System 12 Internet FAX Internet FAX Kit(A) Data Security Kit(E) Card Authentication Gigabit Ethernet Board IB-50 Wireless LAN Interface IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct) Embedded OCR Scan Extension Kit(A) Storage Device HD-12: HDD 3200B (TASKalfa 3212i only)						
Yes						
Dual Fax Yes (Fax System 12 x 2 units required) Consumables & Options Toner Kit TK-7122 TK-7222 Minimerance Kit MK-7129 Platen Cover Platen Cover Type E Document Processor DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets One-path duplex scan Type; DP-7120: 50 sheets RADF Type Paper Feeder PF-791: 500 sheets x2 (A4/Letter); PF-810: 1,500 sheets x2 (A4/Letter) Finisher AK-740: Paper Exit Path for Finisher; DF-7120: 1,000 sheets Finisher; DF-791: 3,000 sheets Finisher; PPH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter; SH12: Staple for DF-791; SH-10: Staple for DF-7120 Fax System Fax System 12 Internet FAX Internet FAX Internet FAX Kit(A) Data Security Data Security Card Authentication Card Authentication Kit(B) Gigabit Ethernet Board Wireless LAN Interface IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct) Embedded OCR Scan Extension Kit(A) Storage Device HD-12: HDD 3200B (TASKalfa 3212i only)				Supplies.		
Toner Kit TK-7122 TK-7222 Maintenance Kit MK-7129 Platen Cover Platen Cover Platen Cover Type E Document Processor DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets One-path duplex scan Type; DP-7120: 50 sheets RADF Type Paper Feeder PF-791: 500 sheets x2 (A4/Letter); PF-810: 1,500 sheets x2 (A4/Letter) Finisher AK-740: Paper Exit Path for Finisher; DF-7120: 1,000 sheets Finisher; DF-791: 3,000 sheets Finisher; PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter; SH12: Staple for DF-791; SH-10: Staple for DF-7120 Fax System Fax System 12 Internet FAX Internet FAX Kit(A) Data Security Kit(E) Card Authentication Card Authentication Kit(B) Gigabit Ethernet Board IB-50 Wireless LAN Interface IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct) Embedded OCR Scan Extension Kit(A) Storage Device HD-12: HDD 3200B (TASKalfa 3212i only)	Dual Fax					
Toner Kit TK-7122 TK-7222 Maintenance Kit MK-7129 TK-7222 Platen Cover Platen Cover Type E Document Processor DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets One-path duplex scan Type; DP-7120: 50 sheets RADF Type Paper Feeder PF-791: 500 sheets x2 (A4/Letter); PF-810: 1,500 sheets x2 (A4/Letter) Finisher AK-740: Paper Exit Path for Finisher; DF-7120: 1,000 sheets Finisher; DF-791: 3,000 sheets Finisher; Fax System Fax System 12 Internet FAX Internet FAX Kit(A) Data Security Data Security Kit(E) Card Authentication Card Authentication Kit(B) Gigabit Ethernet Board IB-50 Wireless LAN Interface IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct) Embedded OCR Scan Extension Kit(A) Storage Device HD-12: HDD 3200B (TASKalfa 3212i only)						
Maintenance Kit MK-7129 Platen Cover Platen Cover Type E Document Processor DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets Cone-path duplex scan Type; DP-7120: 50 sheets RADF Type Paper Feeder PF-791: 500 sheets x2 (A4/Letter); PF-810: 1,500 sheets x2 (A4/Letter) Finisher AK-740: Paper Exit Path for Finisher; DF-7120: 1,000 sheets Finisher; DF-791: 3,000 sheets Finisher; Fax System PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter; SH12: Staple for DF-791: SH-10: Staple for DF-7120 Fax System 12 Fax System 12 Internet FAX Internet FAX Kit(A) Data Security Data Security Kit(E) Card Authentication Card Authentication Kit(B) Gigabit Ethernet Board IB-50 Wireless LAN Interface IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct) Embedded OCR Scan Extension Kit(A) Storage Device HD-12: HDD 3206B (TASKalfa 3212i only)	Toner Kit			The state of the s		
Platen Cover Platen Cover Type E Document Processor DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets One-path duplex scan Type; DP-7120: 50 sheets RADF Type Paper Feeder PF-791: 500 sheets x2 (A4/Letter); PF-810: 1,500 sheets x2 (A4/Letter) Finisher AK-740: Paper Exit Path for Finisher; DF-7120: 1,000 sheets Finisher; DF-791: 3,000 sheets Finisher; PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter; SH12: Staple for DF-791: SH-10: Staple for DF-7120 Fax System Fax System 12 Internet FAX Internet FAX Internet FAX Kit(A) Data Security Data Security Card Authentication Card Authentication Kit(B) Gigabit Ethernet Board Wireless LAN Interface IB-50 Wireless LAN Interface BB-50 Scan Extension Kit(A) Storage Device HD-12: HDD 3200B (TASKalfa 3212i only)	CONSTRUCTION CONTRACTOR					
DP-7100: 140 sheets RADF Type; DP-7110: 270 sheets One-path duplex scan Type; DP-7120: 50 sheets RADF Type Paper Feeder PF-791: 500 sheets x2 (A4/Letter); PF-810: 1,500 sheets x2 (A4/Letter) Finisher AK-740: Paper Exit Path for Finisher; DF-7120: 1,000 sheets Finisher; DF-7120: 1,000 sheets Finisher; PF-810: 1,500 sheets Finisher; PF-91: 3,000 sheets Finisher; PF-91: 540 sheets Finisher; PF-						
Paper Feeder PF-791: 500 sheets x2 (A4/Letter); PF-810: 1,500 sheets x2 (A4/Letter) Finisher AK-740: Paper Exit Path for Finisher; DF-7120: 1,000 sheets Finisher; DF-791: 3,000 sheets Finisher; PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter; SH12: Staple for DF-791; SH-10: Staple for DF-7120 Fax System Fax System 12 Internet FAX Internet FAX Kit(A) Data Security Kit(E) Card Authentication Card Authentication Kit(B) Gigabit Ethernet Board Wireless LAN Interface IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct) Embedded OCR Scan Extension Kit(A) Storage Device HD-12: HDD 3200B (TASKalfa 3212i only)						
Finisher AK-740: Paper Exit Path for Finisher; DF-7120: 1,000 sheets Finisher; DF-791: 3,000 sheets Finisher; PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter; SH12: Staple for DF-791: SH-10: Staple for DF-7120 Fax System Fax System 12 Internet FAX Internet FAX Kit(A) Data Security Data Security Kit(E) Card Authentication Card Authentication Gigabit Ethernet Board IB-50 Wireless LAN Interface IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct) Embedded OCR Scan Extension Kit(A) Storage Device HD-12: HDD 3206B (TASKalfa 3212i only)						
PH-7C: Punch Unit; MT-730(B): 7 bins Mailbox Sorter; SH12: Staple for DF-791; SH-10: Staple for DF-7120 Fax System Fax System 12 Internet FAX Internet FAX (KI(A) Data Security (KI(E) Card Authentication Card Authentication Kit(B) Gigabit Ethernet Board (B-50) Wireless LAN Interface IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct) Embedded OCR Scan Extension Kit(A) Storage Device HD-12: HDD 320GB (TASKalfa 3212i only)						
Fax System Fax System 12 Internet FAX Internet FAX Kit(A) Data Security Data Security Kit(E) Card Authentication Card Authentication Kit(B) Gigabit Ethernet Board IB-50 Wireless LAN Interface IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct) Embedded OCR Scan Extension Kit(A) Storage Device HD-12: HDD 3200B (TASKalfa 3212i only)	i illisiici					
Internet FAX Internet FAX Kit(A) Data Security Data Security Kit(E) Card Authentication Card Authentication Kit(B) Gigabit Ethernet Board IB-50 Wireless LAN Interface IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct) Embedded OCR Scan Extension Kit(A) Storage Device HD-12: HDD 320GB (TASKalfa 3212i only)	Fax System					
Data Security Data Security Kit(E) Card Authentication Card Authentication Kit(B) Gigabit Ethernet Board IB-50 Wireless LAN Interface IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct) Embedded OCR Scan Extension Kit(A) Storage Device HD-12: HDD 320GB (TASKaffa 3212i only)						
Card Authentication Card Authentication Kit(B) Gigabit Ethernet Board IB-50 Wireless LAN Interface IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct) Embedded OCR Scan Extension Kit(A) Storage Device HD-12: HDD 3200B (TASKalfa 3212i only)	Data Security					
Gigabit Ethernet Board IB-50 Wireless LAN Interface IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct) Embedded OCR Scan Extension Kit(A) Storage Device HD-12: HDD 3200B (TASKalfa 3212i only)	Card Authentication					
Wireless LAN Interface IB-35 (802.11 b/g/n/Wireless LAN/WiFi Direct) Embedded OCR Scan Extension Kit(A) Storage Device HD-12: HDD 320GB (TASKalfa 3212i only)		rd				
Storage Device HD-12: HDD 320GB (TASkalfa 3212i only)	Wireless LAN Interfac					
	Embedded OCR					
NM-7100	Storage Device					
	Numeric Key Pad			NK-7	100	







Document Solutions

KYOCERA Document Solutions Hong Kong Limited

16FL, Mita Centre, Phone: (852) 3582-4000
552-556 Castle Peak Road, Fax: (852) 3185-1399
www.kyoceradocumentsolutions.com.hk

*KYOCERA Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

KYOCERA Business Partner