

Harshit Agarwal +91 90018 53344 +91 95300 39800 **Gopal Agarwal** +91 94140 34094

JAIPUR OFFICE H-134, Near RIICO Dharam Kanta, RIICO Industrial Area, Mansarovar, Jaipur - 302020, Rajasthan **MUBAI OFFICE** Andheri West, Mumbai - 40053, Maharashtra

elegantinternationalindia@gmail.com www.elegantint.in

We deal in Paper Cup Industry Machine, Paper Bowl & Paper Lid Machine

# SPECIALIST IN OPEN CAM TECHNOLOGY PAPER CUP MACHINE



#### **Head Office**

H-134,RIICO Industrial Area, Mansarovar, Jaipur (Rajasthan)

+91 90018 53344, 95300 39800 +91 94140 34094



www.elegantint.in

PAPER CUP ROLL DIE CUTTING FLEXO PRINTING PE COATING PAPER STRAW PAPER PLATE



YEARS

EXPERIENCE IN DISPOSABLE

INDUSTRY



We "Elegant International, India" are a leading Enterprise that is actively committed towards supplying superior quality range of Paper Cup Machine, Roll Die Cutting Machine, Flexo Printing Machine, PE Coating Machine and Paper Lid Machine. These machines are manufactured in accordance with industry norms from premium quality components and the latest technology.

We are located at Jaipur (Rajasthan, India) and developed a wide and well functional infra structural unit that assist us to provide highly efficient range of machines as per the global set standards. Our infra structural unit is divided into

sub-departments such as Admin, Quality Testing, R&D, Sales, Procurement, Transportation etc. Well armed with the necessary tool, devices, machines and equipments, All the departments look after by our knowledgeable and devoted team members. Due to their positive efforts and steady support, we are able to attain the complete satisfaction of our valued patrons.

Our working philosophy is "Begins and Ends with Customer's Smile". Our provided machines are appreciated among our clients due to their rigid design, hassle free functioning, low maintenance, high efficiency, long working life and easy installation.







# CUSTOMER FEEDBACK & SERVICE REPORT

Grade

R.(

GA

INTERNATIONAL JAIPUR

Date 18,730 , 13	Date 13/09/2019	
Engineer's Service Report	Engineer's Service Report	
	Dear Values Continues. This V and Re Ordenica (MSACD Pager Can Marrians 1) server grant planaura to provide jobs the functionality of services at answer View mathematics of consistent MSACD Pager Can Marrians and a Noves (Restance And Institute Institute) and another and View mathematics of consistent and another in possibly again canadata. Your Noves (Restance And Institute Institute) and another and	Der 18.118.12 m
User value Control Hending HESSCO Paper Cap Machine. It is our grant pleasure to provide you the best quality of service at all times.	for autority is converting the form types to approximation to a konest feedback with region to any ground and and an to such as training on severy dansards. There are,	Engineer's Service Report
Vous assistance is completing this form is dreatly appreciated. Your honest feedback will 500		Here Verset Controls. Toward particle of series of institute Propert Cap Modelson. Bits care prever assessment re-preventions for from taking of a provide and all "New auditations revention registers from its all particle dataset builds," Next Assess Baseling of build to be series in write the annexes all so series and programming and all all series and and the provide Baseling and build to be series in write the annexes all so series and provide and and all series and and a for the provide Baseling and build to be series in write the annexes all so series and provide and and and annexes. The provide Baseling and Bas
s to serve you better and enable up to work on improving our senara standards. Thank you.	Corryson/Reser	4. 10 work an improving our similar chemical. That you
Company Name:	Mheie A-55Cm-781033	Design Anne
Address:	Constant Presson	алини алини Алини
Contact Person		Consist Fritten
Contact No.:	American Darasingh gurson on Bagan yadar	Contact No. /
	Departure 10/04/19	Equiviliance KORAN KORAF
Engineer's Name: Sidements Auger	Laterne of Service IN-329-110-500	anather G. Par (12 halonia)
Arrival Date: 7/16/14 fz * Departure Dote: 12/16/19		Departmentance borreitstolize >>
Total No. of Service: Insta /alion - 3 made ne .	Lawten Good Aver	Banket Good 1
	1         Control And endored and a control of an address.         Descent of address of an address.           2         Second Address of address of Address of Address.         Descent of Address of Address of Address.	1. Lipharts with an articles
Excellent Good Poor	A time would pass take the Garakin of new Kaddand? OPPY pands within all agreement an approach that address	Linew setting an in the a more thin
Engineer's Work and Behaviour,	TR SETTAL R. du. et SA ar of h	come and three all three all fairs and fairs and the second
Realizable at with the consist it	(UtherProtein per univer scrutzrufy)      Fon: them which protocols and get protocol places scrutzly plantly.7	A star rector at all secure all of
, How would you rate the Quality of our Mechine?		This is a second where the second sec
	Your Comments:	ाजी जी? जे जहां सत्याना दल करी हुई है, पुरस्त राज्य पर में (1007)
L is the Problem get solved accurately? €VES / NO ) IF no, then what problem not get solved, pluase	The wathing morning cash ssult iso we or	Your Caramentiti
pecify clearly?		Your Commenter.
	jum-	
How will you rate overall Engineer's Service?	Compary yorl long try, service strate as which be dates in the Contention of Contention with any other fractions in Energy Latence, Garganey with     Add this are called for a service before any content on the service before the service	NOTC-
(आप इंजीनिया की केल को कैंप्से रेट करेंगे?)	<ul> <li>Ensure of white to be call letter as obtain bedata from Cancers (Cancers as an accurate on the second s Second second seco</li></ul>	NOTE: In the second second second second field and second
How will you rate overall Engineer's Service?	A Comparison of the entropy of a de Compare have a first conversion of the Compary and the performance experience of complete interaction	. The second sec
(जाग इंजीजियर की सेना को केले रेट लवेंगे)		- Company will take astrony and with an entry and the communication of the strength of the str
		and the second se
all Three machine and couplife.	and the second se	and the second se
Lot Libra assault		
Carter		
and the second se		
Products		
Products	Service Service	Installation
Products	Service Service	
Products	Service Service	
Products		Installation till date
Products	Service Service	
Products	Service Service	till date
Products	Service Service	till date
Products	Service Service	till date
Products	Service Service	till date
Products	Service Service	till date
Products 25 <sup>+</sup>	Service Service	
Products 25 <sup>+</sup>	Service Service	till date
Products 25 <sup>+</sup>	Service Service	till date
Products 25 <sup>+</sup>	Service Service	till date
Products 25 <sup>+</sup>	Service Service	till date
<b>25</b> <sup>+</sup>	Service Service	till date 1500 <sup>+</sup>
<b>25</b> <sup>+</sup>	Service Service	till date 1500 <sup>+</sup>
<b>25</b> <sup>+</sup>	Service Centers 12 <sup>+</sup> 25 <sup>+</sup>	till date 1500 <sup>+</sup> Engineer's Service Report
25 <sup>th</sup>	Service Centers 12 <sup>+</sup> 25 <sup>+</sup>	till date 1500+ Engineer's Service Report
25 to get the series of the se	Service Centers 12 <sup>+</sup> Service Engineers 25 <sup>+</sup>	till date 1500+ Engineer's Service Report
کوری کر اور میں	Service Centers Service Engineers 25 25	till date 1500 to 200
255 $t255$ $tttttttt$	Service Centers Service Engineers 25 25	till date 15000t
255 to 2000 to	Service Centers 12 <sup>+</sup> Service Engineers 25 <sup>+</sup>	till date 15000 15000
کو ک	Service Centers 12 25 25 25 25 25 25 25 25 25 2	till date 15000 15000 Mar 202 Mar 20
کی معلی محمد محمد محمد محمد محمد محمد محمد محم	Service Centers 12 25 25 Service Engineers 25 25	till date 15000 15000
255 the second statement of the other the second statement of the desired statement. The second statement of the other the second statement of the other the second statement. The second statement of the other the other the second statement of the other the other the other the other the other the second statement of the other the other the other the other the other the second statement of the other the	Service Centers 12 25 Service Engineers 25 25 Centers 25 Cent	till date 15000 15000
Description	Service Centers 12 25 25 Service Engineers 25 25	till date 15000 15000 1000
255 the set of the term of the term is provide use the set of the term of term	Service Centers D C C C C C C C C C C C C C	till date 15000 15000 1600
225 States and the rest of the form in provide state for the rest of the rest	Service Centers D C C C C C C C C C C C C C	till date 15000
کی بر این	Service Centers       Service Engineers         12       25         25       25	till date 15000
Determining of the state o	Service centers       Service Engineers         12       25         25       25	till date 15000 15000
کی از	Service Centers       Service Engineers         12       25         25       25	till date         15000         15000         10000
Determining of the state o	Service centers       Service Engineers         12       25         25       25	till date 15000 15000 1000
Description	Service Centers       Service Engineers         12       25         25       25	
Description	Service   Centers   Data   Service   Engineers   Data   Data   Data   Service Engineers Data <	<section-header></section-header>
<text><section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header></text>	Service centers       Service Engineers         12       25         25       25	
<text><text><section-header><section-header><section-header></section-header></section-header></section-header></text></text>	Service centers       Service Engineers         12       25         25       25	
<text><section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header></text>	Service conters       Service conters         Data       Service conters	
عدید مراجع م       مراجع مراحع مراجع مراحع مراحع مراحع مراحع مراحع مراحع	<text></text>	
<text><section-header><section-header><section-header></section-header></section-header></section-header></text>	Service conters       Service conters         Data       Service conters	<section-header></section-header>
<text><section-header></section-header></text>	<text></text>	<section-header></section-header>
	<text></text>	<section-header></section-header>
<section-header></section-header>	<text></text>	
<text></text>	<text></text>	<section-header></section-header>

lesi & throno v

## **BEST SERVICE PROVIDER**

Seal and Signature



SPECIALIST IN OPEN CAM TECHNOLOGY

# HIGH SPEED PAPER CUP MACHINE

TH

# OPEN CAM TECHNOLOGY

Nessco launched India's First Open CAM paper cup machine. This model has OPEN CAM Technology which makes machine more stable with smooth functioning. It's equipped with automatic oil lubrication system. This machine has advance technology which results in improved production and stability.


<b>TECHNICAL S</b>	PECIFICATION
Cup Size Range	30-350ml
Production Capacity	75pcs/min
Machine Dimension	(2600x1220x1700)mm
Raw Material	140-250Gsm
General Power	3.5kW
Electricity	380V 3Phases
Weight	1800kg

## 7YEARS AGO

INTRODUCER OF INDIA'S FIRST OPEN CAM MACHINE

NESSCO









pcs/min

SPECIALIST IN OPEN CAM TECHNOLOGY

## HIGH SPEED PAPER CUP MACHINE

Automatic Oil Platform-Heavy Body



This machine's Clamping part equipped with German Technology. In this machine three Clamps working separately it help to reduce the wastage at first heat sealing. Machine structure with Heavy Platform So High production with no vibration and Smooth Functioning. This Machine has Advance Technology Motor (Not using Old Type Reducer and Gear Box.)

TECHNICAL S	PECIFICATION
Cup Size Range	30-250ml
Production Capacity	85 pcs/min
Machine Dimension	(2300x1200x1800)mm
Raw Material	140-250Gsm
General Power	3.5kW
Electricity	380V 3Phases
Weight	2100kg



INTRODUCER OF INDIA'S FIRST OPEN CAM MACHINE



New Type

NESSC()



NESSC()

Old Type







## HIGH SPEED PAPER CUP MACHINE

**Direct Bottom Machine** 



## **OPEN CAM TECHNOLOGY**

This Machine has Open Cam Technology which results in improved production and stability. All use of standard drive parts, production versatility, excellent interchangeability, easy maintenance of equipment. The Machine has sensor to detect any kind of problem arising during normal working of the equipment.

CAL SPECIFICATION	
30-350ml	
90 pcs/min	
(2300x1200x1800)mm	
140-250Gsm	
3.5kW	
380V 3Phases	
2200kg	

OPEN CAM SYSTEM

NESSC()



## 7YEARS AGO





## HIGH SPEED PAPER CUP MACHINE



#### DOUBLE LAYER SYSTEM DIRECT BOTTOM

This Machine is equipped with latest Technology Sigle Turn Plate with Open Cam Technology and Heavy Compact Machine Structure. So Machine gets faster speed. Machine uses Automatic Spray Lubrication System which increases the life of Machine parts with Smooth Functioning. The electricity consumption is same as normal speed Paper Cup Machine.

TECHNICAL S	PECIFICATION
Cup Size Range	30-350ml
Production Capacity	90 pcs/min
Machine Dimension	(2000x1200x1700)mm
Raw Material	140-250Gsm
General Power	3.5kW
Electricity	380V 3Phases
Weight	2300kg



#### TWO LAYER SYSTEM



## 7YEARS AGO

#### INTRODUCER OF INDIA'S FIRST OPEN CAM MACHINE

#### ELEGANT INTERNATIONAL JAIPUR



SPECIALIST IN OPEN CAM TECHNOLOGY

# HIGH SPEED PAPER CUP MACHINE

No need Air Compressor

#### GEAR TRANSMISSION SYSTEM (NO CHAIN NO AIR COMPRESSOR)

This Machine adopt's Gear Transmission System which results in more stability with High Production. The whole Machine uses Automatic spray Lubrication system, reducing the wear of Machine parts. The reliable performance of the Machine offers a rapid and stable operation. This Machine can Auto-Stop working when there is a failure.

TECHNICAL S	PECIFICATION
Cup Size Range	30-350ml
Production Capacity	100 pcs/min
Machine Dimension	(2300x1200x1800)mm
Raw Material	140-270Gsm
General Power	4.5kW
Electricity	380V 3Phases
Weight	2700kg



**NESSCO** 

GEAR TRANSMISSION SYSTEM



AUTOMATIC OIL LUBRICATION SYSTEM







κI

pcs/min

SPECIALIST IN OPEN CAM TECHNOLOGY

# HIGH SPEED PAPER CUP MACHINE

#### **Need Air Compressor**





#### GEAR TRANSMISSION SYSTEM (NO CHAIN)

This type intelligent paper cup machine is using desktop layout, which isolates the transmission parts and molds. The transmission parts are under the desk, molds are on the desk, this layout is convenient for cleaning and maintenance. The machine adopts automatic spray lubrication, longitudinal axis transmission structure, barrel type cylindrical indexing mechanism and gear drive, ensuring the stability and quality of the whole machine.

#### **TECHNICAL SPECIFICATION**

Cup Size Range	45-350ml
Production Capacity	130 pcs/min
Machine Dimension	(2600x1600x1850)mm
Raw Material	190-350g/m2
General Power	12kW
Electricity	380V 50Hz
Weight	3200kg







GEAR TRANSMISSION SYSTEM OPEN CAM TECHNOLOGY

AUTOMATIC OIL LUBRICATION SYSTEM







## HIGH SPEED PAPER CUP MACHINE






## **OPEN CAM TECHNOLOGY**

This high speed automatic paper cup forming machine can be used to manufacture all kinds of hot and cold drink paper cups such as coffee cup, cola cup, milky tea cup, ice cream cup, milk cup and other paper cups.

This machine adopts integral base frame structure, double-column transmission system and automatic circulation lubrication system, which can improve the stability and operation speed of machine greatly.

TECHNICAL S	PECIFICATION
Cup Size Range	30-450ml
Production Capacity	160pcs/min
Machine Dimension	(2750x1300x1800)mm
Raw Material	160-350Gsm
General Power	21kW
Electricity	380V 3Phases
Weight	5300kg









Punch/min

SPECIALIST IN OPEN CAM TECHNOLOGY

# **ROLL DIE CUTTING MACHINE**

# WORLD'S BEST ROLL DIE CUTTING MACHINE

Model 970 is an ideal and professional machine in die cutting and creasing various PE coated paper, normal paper, corrugating paper and plastic material. It adopts microcomputer, positioning, alternating frequency converter, automatic counting, photoelectric rectifying, pneumatic lockcutting plate, electromagnetic clutch, centralized oil lubrication, overload protection and distinctive gearing. All of these is the guarantee of steady pressure, precise positioning, smooth running, safety and reliability operation. This die cutting is majorly used for paper cup blank, paper plate circle, packaging boxes etc.

NESSCO

Model No. Maximum Cutting Size	970 970x550mm	Machine Dimensions Total Power	4300x2300x2350mm 14kW
Maximum Paper Width	950mm	Maximum Pressure	300T
Production Capacity	180 Punches/min	Suitable Material	120-500g/m2
Weight	7000Kg	Cut Precision	± 0.25mm
Working Air Source	Air Pressure 0.5-0.7MPa		
7YEARS AGO	INTRODUCER OF INDIA'S FIRST OPEN CAM MACHIN	INTE	EGANT RNATIONAL JAIPUR

ata.



m/min

#### SPECIALIST IN OPEN CAM TECHNOLOGY

I make

NESSCO

# FLEXO PRINTING MACHINE

## FOOD GRADE FLEXO PRINTING

We are ranked amongst the renowned organizations that are engaged in offering the best quality range of Flexo Printing Machine. This Machine is equipped by One Side winding and other side rewinding which enhances the production quality. Our Machine supports multi-colour printing. Further, we offer this Machine to our clients at moderate price.

	TECHNICAL S	PECIFICATION	
Model	950	Weight	5000Kg
Printing Capacity	80m/min	Thickness of Paper	60-250gsm
Max Web Width	950mm		
Max Printing Width	930mm		
Machine Dimension	2500x1300x1500mm		
Max Rewinding Dia	1400mm		
Total Power	20kW		

## **BEST** PRINTING QUALITY





SPECIALIST IN OPEN CAM TECHNOLOGY

## **PAPER BOWL, CONTAINER MACHINE**



High Speed Container Forming Machine is designed to make one & two sides PE coated paper container for cold and hot drinking food containers.

This Machine runs automatically for paper feeding, body sealing, bottom feeding and punching, heating, knurling, top curling, cup discharging and collecting. It is majorly used for restaurant food packing, sweets packaging etc.

TECHNICAL S	PECIFICATION	
Cup Size Range	Up to 1000ml	
Production Capacity	55pcs/min	
Machine Dimension	(2600x1200x1700)mm	
Raw Material	140-400gsm	
General Power	4.8kW	
Electricity	380V 50Hz	
Weight	2600kg	
Air Pressure	0.3Mpa; Air Out-Put;0.6	m3/min
7YEARS AGO	INTRODUCER OF INDIA'S FIRST OPEN CAM MACHI	NE



IESSCO









#### SPECIALIST IN OPEN CAM TECHNOLOGY

## PAPER BOWL, CONTAINER MACHINE

## PLC BASED MACHINE DIRECT BOTTOM TECHNOLOGY

In the second second second

INTERNATION INTERNET

AND

AGO



NESSCO

High Speed Container Forming Machine is designed to make one & two sides PE coated paper container for cold and hot drinking food containers.

This Machine runs automatically for paper feeding, body sealing, bottom feeding and punching, heating, knurling, top curling, cup discharging and collecting. It is majorly used for restaurant food packing, sweets packaging etc.

<b>TECHNICAL SPECIFICATION</b>	
Cup Size Range	Up to 1200ml
Production Capacity	75pcs/min
Machine Dimension	(2600x1300x1600)mm
Raw Material	140-400gsm
General Power	4.8kW
Electricity	380V 50Hz
Weight	3000kg
Air Pressure	0.3Mpa; Air Out-Put;0.6m3
	INTRODUCER OF

**INDIA'S FIRST** 

**OPEN CAM MACHINE** 







# PAPER LID MACHINE

NESSCO



pcs/min



ECO-FRIENDLY PAPER LID Automatic Paper Lid Forming Machine is used production a variety or paper material lids. It capable of producing the lids for the paper cup, paper cans and other round paper packaging containers.

It introduces the advanced completely. The equipment is stable, high production efficiency, may realize a person of machine operation, To a certain extent, it will liberate labor force.

#### **TECHNICAL SPECIFICATION**

Production Capacity	40pcs/min
Lid Size Range	(65-125)mm
Machine Dimension	(2100x1310x1700)mm
General Power	6kW, 380V 3Phases
Paper	Single/Double PE laminated
Weight	2000kg
Air	0.5-0.8Mpa,0.4m3/min
Thickness	200-380Gsm











## **PAPER LID MACHINE**

## LEAKAGE FREE PAPER LID

NESSCO

#### **TECHNICAL SPECIFICATION**

Production Capacity	60pcs/min
Lid Size Range	(65-125)mm
Machine Dimension	(2400x1700x1900)mm
General Power	7kW, 380v 3Phases
Paper	Single/Double PE laminated
Weight	3000kg
Air	0.5-0.8Mpa,0.4m3/min
Thickness	200-380Gsm



INTRODUCER OF INDIA'S FIRST OPEN CAM MACHINE



Automatic Paper Lid Forming Machine is used production a variety or paper material lids. It capable of producing the lids for the paper cup, paper cans and other round paper packaging containers.

It introduces the advanced completely. The equipment is stable, high production efficiency, may realize a person of machine operation, To a certain extent, it will liberate labor force.



#### SPECIALIST IN OPEN CAM TECHNOLOGY

#### **POP CORN TUB MACHINE**





Production Capacity	25-35 Pcs/min	Cup Size Range
Max Cup Dimension	TD-220mm, H-200mm	Production Capaci
Machine Dimension	(4600x2100x1700)mm	Machine Dimensio
Machine Weight	3300Kg	Paper Specification
Cup Size Range	28-190 OZ	General Power
Min Cup Dimension	TD-120, H-100mm	Weight

## **SHEET FED MACHINE**



Cup Size Range	130-1000ml
Production Capacity	50-65 Pcs/min
Machine Dimension	(2500x1200x1500)mm
Paper Specification	200-350gsm
General Power	2.5kW
Weight	1000kg

## **STRAW SLITTING MACHINE**



			Contraction of the second s
Machine Sheet Size	1060x770mm	Production Capacity	120 m/min
Production Capacity	7500 s/h	Width of Web	420mm
Gripper Margin	8-17mm	Max Rewinding Dia	600mm
Paper Range	90-2000g/m2	Max Feeding Dia	1000mm
General Power	17.6kw	General Power	2.5kW
Max Die Cutting Size	400x370mm	Min Width of Slitting	10mm
Weight	16000kg	Weight	800kg



# HGH EFFICIENCY DELIVERED



## **SLITTING MACHINE**



Production Capacity	150 m/min	Air Source	0.5 m3/min
Max Width of Unwinding	1400mm	Max Width of Slitting	1300mm
Machine Dimension	(3300x2600x1500)mm	Power	8kW

## **PE COATING MACHINE**



Production Capacity	150 m/min	Applicable Coating Material	LDPE, PP, EVA, EAA
Max Width of Coating Film	1200mm	Thickness of Coating Film	0.01-0.11mm
Machine Dimension	(9600x8000x3250)mm	Power	110kW
Weight	15000Kg		

**ELEGANT** 

INTERNATIONAL JAIPUR

## **HGHEFFICIENCY DELIVERED**



## PAPER STRAW MACHINE

NESSC()

#### ECO - FRIENDLY PAPER STRAWS

This machine produces eco-friendly Paper Straws. It comes with numerical servo cutting device with high precision cutting. It has sensor for Automatic cut & fall pipe. Round knife cutting & incision for more smoother edges. This has multi-cut blades which ensures no manual intervention resulting in higher production speed.

> INTERNATIONAL JAIPUR

	TECHNICAL S	PECIFICATION	
Paper Layer	3 Layers	Air Pressure	0.6 MPa
Inner Dia	5-12 mm	Working Space	(7000X5000)mm
Wall Thickness	0.3-2mm	Power	6kW
Production Capacity	45 m/min		
Cutting System	Multiblades		
Machine Dimensions	(3500x1500x1200)mm		
Weight	1400kg		
		EL	EGANT

45

m/min

NESSCO





SPECIALIST IN OPEN CAM TECHNOLOGY

## PAPER SHOPPING BAG MACHINE



NESSC()

There are different paper bags with different color and sizes, It can be made in the specification of the client. This Machine forming the paper bag in one process from roll paper, edge, Folding, tube forming, cutting, gluing, bottom folding, bottom gluing and finishing bag. Easy operation, low power consumption, high efficiency. It is an Ideal Machine for producing food bags like bread bags, KFC bags and McDonald's bags.

> ELEGANT INTERNATIONAL JAIPUR

TECHNICAL SPECIFICATION				
Model	NS-270	Plastic Film Feeding Width	100mm	
Paper Thickness Range	30-100gsm	Production Precision	±0.2mm	
Paper Bag Width Range	80-270mm	Production Speed	150-500 Pcs/min	
Paper Bag Length Range	120-400mm	Max Paper Roll Width	900mm	
Side Folding Range	0-100mm	Max Paper Roll Diameter	1200mm	
Machine Dimensions	(8500x1800x1900)mm	Total Power	16kW	
Weight	5500kg			

## HGH SPEED PRODUCTION



## NON WOVEN BAG MACHINE



HIGHER PRODUCTION RATES The speed is about 100 pcs/min. It can fully Automatic make non woven bag products with different bag type and size, as handle attached bags, T-Shirt bags, Box bags Flat bags, Drawstring bags and so on. It has widely used in Clothing, Footwear, Wine, Gifts, Packaging etc. The Machine can instead of the traditional hand-sewing and reducing labor and manufacturing costs. It's very popular in worldwide.

**INTERNATIONAL** 

**JAIPUR** 

TECHNICAL SPECIFICATION			
Roller Width	1250mm	Rated Power	13kW
Bag Making Speed	50-100 pcs/min	Overall Size	(7500x1920x1900)mm
Bag Height	200-580 mm	Weight	2800kg
Bag Width	200-800mm		
Max Gusset	180mm		
Power Supply	220V 50Hz		
Total Power	15kW		



# PAPER PLATE MACHINE



Plate Size	5-11inch	Material Thickness	150-800gsm
Production Capacity	100pcs/min	Weight	1200Kg
Machine Dimension	(3700x1200x1900)mm	Power	8.5kW

## PAPER PLATE MACHINE





Plate Size	5-11inch	Material Thickness	150-800gsm
Production Capacity	60pcs/min	Weight	9000Kg
Machine Dimension	(1400x1100x1700)mm	Power	3kW

## HGH EFFICIENCY DELIVERED







**STABLE PERFORMANCE EASY OPERATION** 

Double workplace paper plate forming machine is independently research and developed according to the market. It have many functions of automatic paper feeding, heating, out putting, constant temperature control, automatic counting and collecting. It is an ideal equipment for producing round plates, square plates and irregular shape plates in production line and the machine can equipped with cylinder or hydraulic according to customers requirements.

TECHNICAL SPECIFICATION	
5-11inch	
120 pcs/min	
120-600Gsm	
8.5kW	
(2070x1870x1880)mm	
1500Kg	
0.8 MPa	









#### **Elegant International**



#### HEAD OFFICE

 $\bigcirc$  H-134, NEAR RIICO DHARAM KANTA, **RIICO INDUSTRIAL AREA,** MANSAROVAR, JAIPUR (RAJASTHAN) - 302020

#### **BRANCH OFFICE**

MUMBAI

**9** Andheri West Mumbai-400053 (MAHARASHTRA)

KOLKATA 92,K.G.R.S Bhadreshwar, Kolkata-712124 (W.BENGAL)

📞 +91 90018 53344 , 95300 39800, 94140 34094

Email: elegantinternationalindia@gmail.com www.elegantint.in www.indiamart.com/elegantinternational-jaipur

#### SERVICE CENTERS

Jaipur, Mumbai, Delhi, Surat, Aurangabad, Hyderabad, Bangalore, Namakkal & Kolkata